

Wet-Pour Depths and Critical Fall Heights (CFH) Sub Base – MOT Type 1 Stone

15mm Wearing Course	CFH 1.35m
25mm Base Layer	

40mm

40mm comprises of a 15mm wearing course layer and a 25mm base layer. This offers a sufficient surface for equipment with a CFH of 1.35m or less when installed on to Mot Type 1 stone.

15mm Wearing Course	CFH 1.75m
35mm Base Layer	

50mm

50mm comprises of a 15mm wearing course layer and a 35mm base layer. This offers a sufficient surface for equipment with a CFH of 1.75m or less when installed on to Mot Type 1 stone.

15mm Wearing Course	CFH 2.30m
45mm Base Layer	

60mm

60mm wetpour playground surfacing comprises of a 15mm wearing course layer and a 45mm base layer. This offers a sufficient surface for equipment with a CFH of 2.30m or less when installed on to Mot Type 1 stone.

15mm Wearing Course	CFH 2.80m
65mm Base Layer	

80mm

80mm comprises of a 15mm wearing course layer and a 65mm base layer. This offers a sufficient surface for equipment with a CFH of 2.80m or less when installed on to Mot Type 1 stone.

15mm Wearing Course	CFH 3.00m or more
85mm Base Layer	

100mm

100mm wetpour comprise of a 15mm EPDM wearing course layer and an 85mm SBR base layer. This offers a sufficient surface for equipment with a CFH of 3.00m or more when installed on to Mot Type 1 stone.

Please use this table for guide purposes only. CFH ratings may vary depending on the sub base they are laid over. We would be only too pleased to clarify your specific site requirements.